

# AJD 75

John Deere  
Mecc Alte  
P 602



<b>ISO8528</b>	...	...	...	...	...	GC ; ) &
<b>SZUTEST</b>	...	...	...	...	...	GC - \$\$\$%
<b>CE</b>	...	...	...	...	...	

**2000/14/EC**

&\$\$\$#( #

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	75,00	60,00	68,00	54,40	98,00

...	...	...	...	...	...	GC ; ) &
...	...	...	...	...	...	GC " \$(*"

**Standard Specifications**

...	...	...	...	...	...	...
...	...	...	...	...	...	...

**1**

...	...	...	...	...	...	...
...	...	...	...	...	...	...

**ALTERNATOR**

**TRANSFER SWITCH**

# AJD 75

John Deere  
Mecc Alte  
P 602

Manufacturer		John Deere		
Model		4045 T		
		% \$\$\$' "# "		
		+\$\$\$\$' "		
		G ( \$\$\$<DQ		
	L	4,500		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	13,20	
		L	32,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	4,60		
	' # "	108,00		
	' # "	12,20		
	° C	538,00		
		12 V d.c.		
	Load	%\$\$ı	'+)ı	)\$ı
	# "			
		16,00	12,20	8,10

		Mecc Alte		
		ECO 32-3L/4		
	Hz	50		
	"	70,00		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	101,00		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AJD 75	1050,00	2150,00	1050,00	1459,00	240,00
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1400	3100	1057	1670	240

# AJD 75

John Deere  
Mecc Alte  
P 602

## 1 D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[ Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa ]bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfUUhjcb'gY'YVW]b[ 'Vi hrcbg''

8G9za cXY''\$&\$'5i hc' A U]bg: U]i fy Vebfc''a cXi 'Y'  
6UHYfmVUf[ Yf]bdi h%, !&\*( 'j c'h'zci rdi h''&+Z' J ) '5'f&( 'J Ecf'% z' J c'h) 5'f&J k  
9a Yf[ YbVhgrcd' di g\ 'Vi hrcb'UbX'Z' gYg'Z'fVebfc''V]fV]jg''

7 ca dcbYbrg]bghU''YX' ]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa ]W'zdfY!VtUh]b[ 'cZghYY''dfcj ]XYg Vtffcg]cb  
fyg]ghbghi fZUW''Dc'mYghYfVtca dcg]Y' dck XYf'rcdVtUhZcfa g\ \ [ 'cgg'UbX'YI hYa Y'mXi fUV'Y Z]b]g\''@cW]UV'Y  
UbX'\]b[ YX'dUbY'Xccf' dfcj ]XYg YUgmUWV]gg'hc' Vtca dcbYbrg''

'7 cblfc''dUbY''jg'a ci bHYX'cb'VUgYZUa Y'k ]h' ghY''ghUbX''@cW]HYX'UhihY'f][ \hig]XY'cZhY' [ YbYfUrcf'gyhfk \Yb'nci  
'cc\_'UhihY'; Yb''GYH'Zca '5'fYfbUrcfL

HV''8G9''\$&\$'j'g'U'ghUbXUfX'Veblfc''a cXi 'Y'Zfc'f [ YbYfUrcf'gYhg'i d'hc'&\$\$\_J'5'UbX'ih\Uj'Y'VYYb'XYg][ bYX'hc'  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'Ug'VYYb'XYg][ bYX'hc'a cb]rcf [ YbYfUrcf'  
ZYei YbVt'z] c'bz'W'fYb'bz'Yb[ ]bY'c]'dfYggi fyZ'Vt'c'UbhiYa dYfUhi fy'fi bb]b[ \ci fg'UbX'VUHY'fmj'c'hg''A cXi 'Y'  
a cb]rcf'g'hY'a U]bg'gi dd'mUbX'gk ]hW'c] Yf'hc'hY' [ YbYfUrcf'k \Yb'hY'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc  
]bX]W]HY'g'cdYfUUhjcbU'ghUhi g'UbX'Z]i 'hVt'bx]h]cbg'z'5i hca Uh]W'mg\i h]b[ 'Xck b'hY'; Yb''GYhUbX'[ ] ]b[ 'hfi Y'Z]fghi d  
Z]i 'hVt'bx]h]cb'cZ; Yb''GYhZ]i' fy''H\Y'@7'8'X]gd'Um]bX]W]HY'g'hY'Z]i 'h'

A ]WcdfcW'ggcf'Veblfc''YX''  
@7'8'X]gd'Uma U\_Yg ]bZcfa Uhjcb'YUgmhc'fYUX''  
(! ]bYz\*( '1'% &d] ]Y'X]gd'Um'

5i hca Uh]W'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX' [ YbYfUrcf'dck Yf''  
A Ubi U'dfc[ fUa a ]b[ 'cb'ZcbhdUbY''  
I gYf]Z]YbX'mgYHi d'UbX'Vi hrcb''Unci h'  
: fcbhdUbY'dfc[ fUa a ]b[ ''  
F Ya cHY'ghUfhi'  
9j Ybh'c[ [ ]b[ 'f]s]kg\ck ]b[ 'XUfY'UbX'hja Y''  
7 cblfc'g' Ghcd#F YgYhZ' A Ubi U'z'5i hc'z'HYghZ'GHUfz'Vi hrcbg''5'b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'hY'@7'8'X]gd'Um]g  
i gYX'hc'gVfc''h'fci [ \ hY'a cXi 'Ygfa YhY]b[ 'X]gd'Um]g''

# AJD 75

John Deere  
Mecc Alte  
P 602

9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i ffYbhf@&!@ ' "  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn"  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn"  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[ Y Z]i fY"  
6UHYfm@ck #:[ \ ] c' hU[ Y"  
: U] 'hc' ghd"  
@ck #:[ \ ] [ YbYfUhc'f] c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f] fYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] 'hc' gUff"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f] fYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f] c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bhU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f]dL  
@c'W'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7 'hc  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV] ]hm6G'9B '\* \$- ) \$  
9'YVW]VW' Vi g]bYgg' 'Yei ]da Ybh'  
6G'9B '\*%\$ \$! \*! & 9A 7 'ja a i b]migtUbXUfX"  
6G'9B '\*%\$ \$! \*! ( '9A 7 'Ya ]gg]cb' ghUbXUfX"

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' 'gk ]h'W]b[ !a cXY'UbX'GA 8 'YVW'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VbYVW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ] 'Ua dYfz% z' ] 'Zcf'%&j' c'hUbX' &+Z' ] 'Zcf'&' ( ] "  
#bdi h% , ' ! &\* ( j c'h57 "' Dfc]bY' &(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY' i gYX'Ug'U'VW'ffYbhgci fVW"  
Dfc]bY' %&\$) #&(\$) VUf[ Yf\Ug\ ] [ \ YZ]VbYVW'cb[ " ]Z'Z' 'ck ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX' 'ck \ YUhfUX]UfYX' ]b  
UVV'cfXUbW'k ]h' ]bYUf'U'fYfbU]h'j Yg' H\Y'VUf[ Yf ]g'Z]h'YX'k ]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVWVUf[ Y'Z]  
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc' fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX' ]bdi hUbX'ci hdi h]md]VW' m( \_J 'Zcf\ ] [ \ fY' ]UV] ]h'f

# AJD 75

John Deere  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240