

# AJD 170

John Deere  
Mecc Alte  
P 602



<b>ISO8528</b>	...	...	...	...	...	GC ; ) &
<b>SZUTEST</b>	...	...	...	...	...	GC - \$\$\$%
<b>CE</b>	...	...	...	...	...	

**2000/14/EC**

&\$\$\$#( #

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	170,00	136,00	155,00	124,00	224,00

fP GDE

GC ; ) &

fDF D

%\$! % %&

GC " \$(\*\*

z&(

GC

**Standard Specifications**

z

fl ! E

z

z

**ALTERNATOR**

fl

!

!" \$ E

fP \$\$\$ \$\$\$

fl " !" \$ E

**TRANSFER SWITCH**

!

# AJD 170

John Deere  
Mecc Alte  
P 602

Manufacturer		John Deere								
Model		6068 H								
		<table border="1"> <tr> <td>% \$ \$</td> <td>"# "</td> </tr> <tr> <td>% ) \$ \$</td> <td>"</td> </tr> <tr> <td>Q \$, \$ \$</td> <td>&lt; DQ</td> </tr> </table>			% \$ \$	"# "	% ) \$ \$	"	Q \$, \$ \$	< DQ
% \$ \$	"# "									
% ) \$ \$	"									
Q \$, \$ \$	< DQ									
	L	6,800								
	"	106 X127								
		17:1								
	fl # ı	"# "	1500							
	fl ı	L	24,60							
		L	36,50							
AbsorbedAirDischargeReSourceKey.Text	' # "	9,80								
	' # "	252,10								
	' # "	20,80								
	° C	600,00								
		12 V d.c.								
	Load	% \$ \$ı	'+)ı	) \$ı						
	# "	34,00	26,20	17,80						

		Mecc Alte		
		ECP34 3L/4		
	Hz	50		
	"	160,00		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	231,00		

		fl ı		fl ı	
	"	"	"	"	L
AJD 170	1510,00	2392,00	1150,00	1521,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1930	3400	1217	1938	380

# AJD 170

John Deere  
Mecc Alte  
P 602

## 1 D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[ Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa ]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b[ 'Vi hrcbg''

8G9ža cXY''\$&\$'5i hc'A U]bg': U]i fy Vëbfc''a cXi 'Y'  
6UHYfmVUf[ Yf]bdi h%, !&\*( 'j c'hžci rdi h''&+ž' J ) '5'f&( 'J Ecf'% ž 'J c'h) 5'f&J k  
9a Yf[ YbVhrcd'di g\ 'Vi hrcb'UbX ž gYg'Zc'fVëbfc''V]fV]jg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa ]WždfY!VëU]b[ 'cZghYY''dfcj ]XYg Vëffcg]cb  
fyg]ghbghi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][ \ [ 'cgg'UbX'YI fYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y  
UbX\]b[ YX'dUbY'Xccf'dfcj ]XYg YUgmUWV]gg'hc''Vëa dcbYbrg''

'7 cbfbc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k ]h' ghY''ghUbX''@cW]HYX'Uhih'Y'f[ \hig]XY'cZh'Y [ YbYfUhc'f'gyhfk \Yb'nci  
'cc\_'Uhih'Y; Yb''GYH'Zca '5'fYfbUhc'fë

H\Y''8G9''\$&\$]g'U'ghUbXUfX'Vëbfc''a cXi 'Y'Zc'f'ci f [ YbYfUhc'f'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug'VYYb'XYg][ bYX'hc'  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][ bYX'hc''a cb]rcf [ YbYfUhc'f'  
Z]ei YbVhžj c'žW'fYbžYb[ ]bY'c' d'fYggi fyžVëc'UbhiYa dYfUhi fy'fi bb]b[ \ci fg'UbX'VUHYfmj c'hg''A cXi 'Y'  
a cb]rcf'g'h'Y'a U]bg'gi dd'imUbX'gk ]W'c] Yf'hc'h'Y [ YbYfUhc'f'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc  
]bX]W]Yg'cdYfUhc'bU'ghUhi g'UbX'Z]i 'hVëbX]h]cbgž'5i hca U]W'mg\i h]b[ 'Xck b'h'Y; Yb''GYhUbX'[ ] ]b[ 'fhi Y'žfghi d  
Z]i 'hVëbX]h]cb'cZ; Yb''GYhZ]i fy''H\Y'@7 8'X]gd'Um]bX]W]Yg'h'Y'Z]i 'H'

A ]Wëd'fcW'ggcf'Vëbfc''YX''  
@7 8'X]gd'Uma U\_Yg]bZcfa Uhjcb'YUgmhc'fYUX''  
(!]'bYž\*( '1'% &d]Y'X]gd'Um'

5i hca U]W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [ YbYfUhc'f'dck Yf''  
A Ubi U'dfc[ fUa a ]b[ 'cb'ZcbhdUbY''  
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Unci h'  
F Ya ch'Y'ghUfH'  
9j Ybh'c[ [ ]b[ 'f] h'g\ck ]b[ 'XUHY'UbX'h'a Y''  
7 cbfbc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g'  
i gYX'hc'gVfc''h'fci [ \h'Y'a cXi 'Ygfa YHf]b[ 'X]gd'Umg''

# AJD 170

John Deere  
Mecc Alte  
P 602

9B: 9B  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i fFYbhf@&!@ ' "  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn'  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn'  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[ Y Z]i fY"  
6UHYfm@ck #][ \ ] c' hU[ Y"  
: U] 'hc' ghcd"  
@ck #][ \ [ YbYfUhc'f j c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] 'hc' gUff"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f j c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f j YfW'fYbH'


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bH[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f]dL  
@c'W'gYh]b[ 'dUfUa YH'fg'UbX'a cb]h'f]b[ 'Zca 'D7 'hc  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV] ]hm6G'9B '\* \$-) \$  
9'YVW]VW' Vi g]bYgg' 'Yei ]da YbH'  
6G'9B '\*%\$ \$! \*! & 9A 7 'ja a i b]migtUbXUfX"  
6G'9B '\*%\$ \$! \*! ( '9A 7 'Ya ]gg]cb' ghUbXUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' 'gk ]h'W]b[ !a cXY'UbX'GA 8 'YVW'bc'c[ mUbX'ih\Ug \ ] [ \ YZ]VW'YbVW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ] 'Ua dYfz% z 'J 'Zcf'%&j c'hUbX' &+Z' 'J 'Zcf'&' ( 'J '  
#bdi h% , ' ! &\* ( j c'h57 "' Dfc]bY' &(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'fYbHgci fVW"  
Dfc]bY' %&\$) #&(\$) VUf[ Yf\Ug \ ] [ \ YZ]VW'YbVW'cb[ ' ]Z'Z' 'ck ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX' 'ck \ YUhfUX]UfYX' ]b  
UVW'cfXUbW'k ]h' ' ]bYUf'U'fYbUf]j Yg' H\Y'VUf[ Yf ]g' Z]h'YX'k ]h' 'U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc' fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX' ]bdi hUbX'ci hdi h]m]d]VW'm(\_J 'Zcf \ ] [ \ fY' ]UV] ]m'

# AJD 170

John Deere  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380