

APD 215 WD

Aksa
Aksa P 4



SZUTEST GC - \$\$\$

CE

z) \$ z' \$z 'D:

	"	"	"	"	Amp
400/230	215,00	172,00	195,00	156,00	281,00

f9GDE GC ,) & fDF D% \$! % %& GC " \$(** z&(GC

Standard Specifications

(* # \$ \$ s fl ! E z z

1

ALTERNATOR

1

1

TRANSFER SWITCH

1

APD 215 WD


Aksa
Aksa P 4

Manufacturer		Aksa
Model		WD615.68D
		% \$ \$ " # "
		% + " "
		(%) \$ < DQ
	L	9,72
	"	126 X 130
		15,5:1
	fl # 7	"# "
	fl 7	L
		19,00
		L
		38,00
AbsorbedAirDischargeReSourceKey.Text	' # "	19,00
	' # "	260
fl ' # 7	' # "	38,00
	° C	560
		24 V d.c.
	Load	% \$ \$
	# "	
		42,00

		Aksa
	Hz	50
7cg		0,80
		3
	fl 7	400/230

		fl 7		fl 7	
	"	"	"	"	L
APD 215 WD	2510	2900	1150	2000	420
		fl 7		fl 7	
	"	"	"	"	L
ASM 7	3230	4000	1210	2000	420

D(' !




APD 215 WD

Aksa
Aksa P 4

- 1 5A: () 5Z&&\$#&(\$
- 2
- 3
- 4 5A: (5A: (&\$ \$ tž
- 5 5D8 fl 5A: (ž
- 6 5A: (ž
- 7
- 8
- 9
- 10

5GA +!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

APD 215 WD

Aksa
Aksa
P 4

	"	1210
fl "L	"	4000
fl "L	"	2000
		420