

APD 70 A

Aksa
Aksa P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC
 &\$\$\$#(#
 z) \$ z'z' D:

	"	"	"	"	Amp
400/230	70,00	56,00	64,00	51,20	92,00

fP GDE GC ;) &
 fDF DE %s1 % %& GC " \$(** z&(GC

Standard Specifications

z
 fi ! E
 z <

1
 1
 1

ALTERNATOR

1
 1
 1

TRANSFER SWITCH

1
 1
 1

APD 70 A

Aksa
Aksa P 602



Manufacturer		Aksa
Model		A4CRX46T
		%\$\$ "# "
		*&\$\$ " "
		Q' \$\$\$<DQ
	L	4,580
	"	108 X 125
		17:1
	fl # ı	"# " 1500
	fl ı	L 14,00
	L	18,00
AbsorbedAirDischargeReSourceKey.Text	' # "	6,30
	' # "	180,00
fl ' # "ı	' # "	16,20
		12 V d.c.
	Load	%%\$ı
	# "	
		17,10

		Aksa
		AK351
	Hz	50
	"	63,50
7cg		0,80
		3
	fl ı	400/230
	A	91,00

		fl ı		fl ı	
	"	"	"	"	L
APD 70 A	1060,00	1860,00	900,00	1280,00	154,00
		fl ı		fl ı	
	"	"	"	"	L
APD 70 A	1440,00	2490	970	1560	154

APD 70 A

Aksa
Aksa P 602



9B: 49
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\j c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf [YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f fYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh"

: 'YI J'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f'dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B *\$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B *%\$ \$! *! & 9A 7 'ja a i b]mighUbxUfX"
6G'9B *%\$ \$! *! ('9A 7 'Ya]gg]cb'ghUbxUfX"


'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY' h'c'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']' Zcf'%&j c'hUbX' &+Z']' Zcf'&'(]'
#bdi h% , ' ! &* (j c'h57 "' Dfc]bY' &(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchVW]cb'UbX'ihVWb'VY' i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY' %&\$) #&(\$) VUf[Yf\Ug\][\ YZ]VbYVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'][\hk Y][\hUbX' 'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYh'YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f' h'c' fYXi V'Y'YVW]VW' 'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW' m(_J' Zcf'\][\ fY']UV]]h'f'

APD 70 A

Aksa
Aksa P 602



5D8'+\$'5'!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Technical specifications and details for the generator, including performance metrics and operational parameters. The text is partially obscured by noise and artifacts.

	"	970
f) "L	"	2490
f) "L	"	1560
	L	154